EN www.andres.glass



PLEASE HANDLE AND INSTALL THE WINDOW CAREFULLY AS TEMPERED GLASS MAY SHATTER IF CORNERS AND EDGES COME INTO CONTACT WITH HARD SURFACES!

Andres Glass Solutions OÜ recommends using the help or service of a specialist in the field when installing the products.

Before installing or using the product, read the installation, use and maintenance instructions and the warranty conditions.

Package contents (Figure 1):

- Window frame
- Glass with pre-attached profile




Figure 1

Tools required (depending on the type of wall):

- Measuring tape
- Level or laser level
- Screwdriver
- Hammer drill or regular drill (depending on the type of wall)
- Screws and wall plugs suitable for the wall type (e.g., for concrete, drywall, brick)
- Spacer blocks
- Silicone and silicone gun
- Expanding foam (optional)
- Personal protective equipment
- Special silicone spatula for removing excess silicone

Safety notes:

- Always wear protective gloves when handling glass and applying sealant.
- The sealant used should be appropriate for the environmental conditions where the window will be installed (e.g., sauna, steam room).

INSTALLATION INSTRUCTIONS:

- 1. Carefully open the package and check the frame and glass for any damage. Handle the glass with care to avoid scratches or other damage. Measure the window opening to ensure it matches the frame size.
- 2. Place the frame without the glass into the window opening. Using a level or laser, ensure the profile is level both horizontally and vertically. Secure the profile with screws and wall plugs suitable for your wall type.
- 3. Carefully remove the glass from the profile without scratching the profile surface.
- 4. Apply silicone to the profile where indicated in the *Figure 2*, and re-install the glass. Use silicone specifically designed for saunas or steam rooms.




Figure 2

- 5. Carefully place the glass with the profile back into the frame previously installed in the window opening. Ensure there is an even gap between the frame and profile to avoid uneven pressure on the glass. Check that the glass is installed level. If necessary, add wedges.
- 6. Once the glass is properly installed, apply silicone between the profile and the frame with the glass. Follow the manufacturer's instructions for the silicone. (Figure 3)





Figure 3

- 7. After applying the silicone, use a special spatula to carefully remove any excess silicone. It is crucial that the silicone is applied evenly to ensure moisture resistance.
- 8. Allow the silicone to fully cure. The curing time may vary depending on the type of silicone, temperature, and humidity. Avoid applying pressure to the window until the silicone is fully dry.
- 9. After the silicone has dried, complete the finishing work around the window opening.

INSTALLATION AND WARRANTY TERMS

Sauna doors and windows

EN www.andres.glass



BEFORE INSTALLATION AND USE

- Before installing or using the product, read the installation, use, maintenance, and warranty instructions.
- If the instructions are not clear or you have any questions, contact the representative who sold you the product.
- Before installation, check that the product is intact and free of defects. If defects are discovered, contact your reseller.
- Do not install a defective product; the manufacturer is not responsible for the consequences and claims.
- Check the product's compatibility with the surrounding environment according to the product's specifications. For doors with wooden frames, avoid direct contact with water droplets with the frames. Andres Glass Solutions sauna doors and windows with wooden frames are not intended for outdoor use unless they have been previously treated with antiseptic agents.
- If wooden decorative caps do not stay in place properly, the reason may be the properties of the wood, the influence of external environmental factors, or, in some cases, a slight difference in cap dimensions, which may depend on the suppliers. To avoid this, we recommend using waterproof wood glue when installing.
- The instructions assume that the walls of the room are straight and square. If necessary, the dimensions must be adjusted according to the actual situation.

TECHNICAL FEATURES OF THE PRODUCT

- Andres Glass Solutions uses various matting technologies that ensure consistent quality.
- Products from different glass manufacturers are used, which may cause minimal differences in tone.
- Packaging, printing, and fittings from different manufacturers are used, and these may vary due to changes in technology, batches, or product type.
- All products with tempered glass are marked according to the requirements.
- Andres Glass Solutions may use the company's trademark and labeling on products.

WARRANTY CONDITIONS

1. Warranty period and validity

- 1.1 The warranty terms and conditions apply to the territory of the Republic of Estonia and the European Union, respectively.
- 1.2 The warranty does not exclude the exercise of consumer rights arising from applicable legislation.
- 1.3 The warranty is valid for 24 months from the date of issue of the invoice/receipt and delivery of the product to the consumer.
- 1.4 In the event of a repair, the warranty period will be extended for the duration of the repair.

2. Scope of warranty conditions

- 2.1 The warranty covers the elimination of defects in the product's manufacturing, material, and design that occur during the warranty period due to the manufacturer's fault.
- 2.2 The manufacturer is not responsible for, and the warranty does not extend to the following defects:
- Damage that occurred during transportation and is not due to the manufacturer.
- Force majeure, accident, intentional or negligent actions by the consumer or third parties.
- Damage caused by foreign objects, liquids, insects, or extreme conditions during product storage.
- The consumer does not take into account the surrounding environment, construction, safety, and other related features and requirements when installing and using the product.
- Improper use, installation, connection or maintenance.
- The product has been installed and used as incomplete or defective.
- Structural changes or product modifications.
- Natural wear and tear after intensive use.
- Defects are caused by changes in the geometry of the room or the building.



INSTALLATION AND WARRANTY TERMS

Sauna doors and windows



EN www.andres.glass

- 2.3 The warranty does not cover work recommended in the maintenance manual (cleaning, adjustment, etc.).
- 2.4 The warranty does not cover costs or damages that are not related to the product itself but arose in connection with the product.
- 2.5 The warranty does not extend to seals, hinges, and locks in the products, as their wear depends on the intensity and conditions of use.

RIGHTS OF THE CONSUMER

3. Rights of the consumer

- 3.1 If a defect is discovered, the consumer has the right to file a complaint with the seller within two years from the date of purchase.
- 3.2 If a product defect has been proven as a result of the manufacturer's expert examination, the consumer has the right to demand free repair of the product or replacement with a new product. The manufacturer will determine whether the product will be replaced or repaired.
- 3.3 If the defect cannot be repaired, the consumer has the right to demand a replacement of the product.
- 3.4 The new replacement product is covered by the same warranty as the original product.
- 3.5 The consumer has the right to demand a refund for a defective product according to the cost of the purchased product. The refund amount does not include other possible costs.

COMPLAINTS PROCEDURE AND CONDITIONS

4. Complaints procedure

- 4.1 If a defect is discovered, the use of the product must be stopped immediately, and the representative who sold the product must be contacted immediately.
- 4.2 When submitting complaints, please provide original purchase documents with payment order, contact information, description of the product defect, photos and/or video, and the desired solution.

COMPLAINT HANDLING BY THE MANUFACTURER

5. Handling complaints

- 5.1 Complaints will be reviewed within 15 days of receipt by Andres Glass Solutions OÜ. The problem will be assessed using the manufacturer's expertise, and the best possible solution will be offered.
- 5.2 Warranty repairs will be carried out within a reasonable time after the complaint has been submitted and reviewed.
- 5.3 Andres Glass Solutions OÜ does not arrange transportation of a defective product; transportation of the product due to a defect is the responsibility of the customer. The customer must organize and bear all costs associated with shipping and returning the product to the manufacturer.
- 5.4 Andres Glass Solutions does not consider a manufacturing defect and is not responsible for product damage caused by the reasons listed in the warranty terms (see 2.2.).

6. Possible course of disputes

- 6.1 Need for further assessment
- 6.1.1 If you believe that Andres' conclusions and solution are incorrect and you need further assessment, Andres will confirm its decision within at least six months from the date of purchase by conducting additional analyses or using an independent specialist.
- 6.1.2 Six months after the date of purchase, you must confirm your position. The easiest option is to contact an independent specialist of your choice who will provide an expert assessment of the situation.
- 6.2 Dispute resolution
- If you still have a different opinion after an independent expert assessment and/or additional analysis of Andres' decision, you have the opportunity to contact the Consumer Disputes Committee of the Consumer Protection and Technical Regulatory Authority and, if necessary, the County Court.
- When situations requiring solutions arise between Andres Glass Solutions OÜ and a customer, we believe in a friendly and respectful attitude and hope for mutual understanding and a constructive solution.

Andres Glass Solutions OÜ systematically improves its products and reserves the right to make changes to the product's construction that do not change its operating principle.